


8002N




8002F

8002


8002N

E1




x5

E2




x5

E3




x1

E4




x1

E5




x1

E6




x4

E7



x1


E8



x1


8002F

E1




x5

E2




x5

E3




x1

E4




x1

E5




x1

E6




x4

E7




x1

E8










x1





8002N

8002F

Nr	Element	DIN	ELEMENT	Σ	Σ
1		-	S6x60	81	81
2		-	W6x60	60	60
10		DIN 9021	6x18	5	5
37		-	BPE_1	1	1
61		-	KL105		39
179		-	Z_ECO_1		5
180		-	K_ECO_1	5	5


8002N
8002F



1

8002N
8002F

INST_80_44




2

8002N
8002F

INST_80_22


INST_80_71

INST_80_23



3

8002N
8002F




Technical drawing of a square frame structure. The drawing shows a square frame with dimensions and a circular arc at the top.

Dimensions:



- Top horizontal dimension: 150
- Left vertical dimension: 150
- Right vertical dimension: 150
- Bottom horizontal dimension: 150
- Bottom vertical dimension: 150
- Overall width: 461
- Overall height: 467
- Inner width: 161
- Inner height: 150

The drawing includes a circular arc at the top, centered on the vertical axis, with a radius of 150. The frame is composed of four vertical and four horizontal segments, with a central square opening. The segments are connected by small circles, likely representing rivets or bolts. The overall dimensions are 461 by 467, with a central square opening of 161 by 150.









8002N

A-A (1 : 25)








B-B (1 : 25)






8002N

B15 0,2m³ min. 24H





8002F


I




II




III



IV



V



VI

